



## Geology 1:10,000 scale - Superficial



- Site Outline
- Search buffers in metres (m)
-  Landslip (10k)
- Superficial geology (10k)  
Please see table for more details.

### 14.3 Superficial geology (10k)

Records within 500m

8

Superficial geological deposits at 1:10,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:10,000 scale - Superficial map on **page 78**

ID	Location	LEX Code	Description	Rock description
1	On site	TILLD-DMTN	Till, Devensian - Diamicton	Diamicton
2	On site	PEAT-P	Peat - Peat	Peat
3	61m NE	TILLD-DMTN	Till, Devensian - Diamicton	Diamicton

ID	Location	LEX Code	Description	Rock description
4	94m NW	PEAT-P	Peat - Peat	Peat
5	181m SW	PEAT-P	Peat - Peat	Peat
6	239m W	PEAT-P	Peat - Peat	Peat
7	251m NW	PEAT-P	Peat - Peat	Peat
8	448m N	ALV-XCZSV	Alluvium - Clay, Silt, Sand And Gravel	Clay, Silt, Sand And Gravel

*This data is sourced from the British Geological Survey.*

## 14.4 Landslip (10k)

**Records within 500m**

**0**

Mass movement deposits on BGS geological maps at 1:10,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

*This data is sourced from the British Geological Survey.*

