

Cynllun Datblygu Lleol Diwygiedig Sir Gaerfyrddin 2018 - 2033
Carmarthenshire Revised Local Development Plan 2018 - 2033

Ffurflen Sylwadau 2il Cynllun Datblygu Lleol Diwygiedig Adneuo
2nd Deposit Revised LDP Representation Form

Hoffem gael eich barn am yr 2il Cynllun Datblygu Lleol Diwygiedig Adneuo (Cynllun Datblygu Lleol) ac ar ddogfennau sy'n cefnogi'r Cynllun Datblygu Lleol.

Dylid defnyddio'r ffurflen hon ar gyfer pob sylw (h.y. sylwadau neu wrthwynebiadau) Mae fersiynau nodiadau cyfarwyddyd ar gael o www.sirgar.llyw.cymru. Os ydych yn cyflwyno copi papur, atodwch dudalennau ychwanegol lle bod angen.

Bydd angen i unrhyw sylwadau a wnaed i'r CDLI Adneuo 1af gael eu hailgyflwyno fel rhan o'r ymgynghoriad ar yr 2il Adnau CDLI. Dim ond sylwadau a wnaed yn briodol i'r 2il CDLI Diwygiedig Adneuo fydd yn cael eu cyflwyno yn yr Arholiad. Ni fydd sylwadau a wnaed i'r CDLI Adneuo 1af bellach yn cael eu hystyried ac ni fydd yn rhan o'r Arholiad.

Mae gan y ffurflen hon ddwy ran: Rhan A (Manylion personol) a Rhan B (eich sylw). Sylwer y bydd Rhan B ar gael i'r cyhoedd a chaiff ei hanfon at Yr Arolygiaeth Gynllunio.

Mae'n rhaid derbyn eich sylwadau erbyn 4:30pm ar y 14 o Ebrill 2023.

Dychwelwch ffurflenni at:

Rheolwr Blaen-gynllunio, Lle a Chynaliadwyedd, Adran Lle a Seilwaith, 3 Heol Spilman, Caerfyrddin, SA31 1LE

We would like your views on the Revised Carmarthenshire Local Development Plan (LDP) 2nd Deposit, and also on documents which support the LDP.

This form should be used for all representations (i.e. comments or objections). Electronic versions and guidance notes are available at www.carmarthenshire.gov.wales. If you are submitting a paper copy, attach additional sheets as necessary.

Any representations made to the 1st Deposit LDP will need to be resubmitted as part of the consultation on the 2nd Deposit LDP. Only duly made representations to the 2nd Deposit Revised LDP will be submitted for examination. Representations made to the 1st Deposit LDP will no longer be considered and will not form part of the Examination.

This form has two parts: Part A (Personal details) and Part B (Your representation). Please note that Part B will be made publicly available and will be forwarded to the Planning Inspectorate.

Your representations must be received by 4:30pm on the 14th April 2023.

Please return forms to:

Forward Planning Manager, Place and Sustainability, Department of Sustainability and Infrastructure, 3 Spilman Street, Carmarthen, SA31 1LE.

RHAN A: Manylion cysylltu**PART A: Contact details**

<i>Eich manylion/manylion eich cleient</i> Your details / your client's details		<i>Manylion yr asiant (os ydynt yn berthnasol)</i> Agent's details (if relevant)
<i>Enw</i> Name	Anthony Neil Evans	
<i>Teitl swydd (lle y bo'n berthnasol)</i> Job title (where relevant)	Postman	
<i>Sefydliad (lle y bo'n berthnasol)</i> Organisation (where relevant)	N/A	
<i>Cyfeiriad</i> Address	[REDACTED]	
<i>Rhif ffôn</i> Telephone no	[REDACTED]	
E-bost Email address	[REDACTED]	
<i>Llofnodwyd</i> Signed	[REDACTED]	
<i>Dyddiad</i> Date	14 th April 2023	

RHAN B: Eich sylw**PART B: Your representation**

<i>Eich enw / sefydliad</i> Your name / organisation	Anthony Neil Evans
1. Ar ba ran/rannau o'r Cynllun (neu ddogfennau ategol) rydych yn rhoi sylwadau? 1. Which part(s) of the Plan (or supporting documents) are you commenting on?	
<i>Rhif(au) polisi Cynllun Datblygu Lleol neu ddyraniad safle</i> LDP policy or site allocation number(s)	HOM1, Cluster 4, Tier 3, Sustainable Village, Tertiary Community.

<p><i>Rhif(au) paragraff y Cynllun Datblygu Lleol neu adran</i></p> <p>LDP paragraph or section number(s)</p>	<p>Carmarthenshire 2nd Deposit Revised Local Development Plan (rLDP) 2018-2033</p> <p>Page 95, Strategic Policy – SP3: Sustainable Distribution – Settlement Framework –</p> <p>Tier 3/Cluster4 Table.</p> <p>Page 98, SD1 Development Limits - 11.75 - (...exceptions proposals (adjacent to limits) may be considered appropriate.</p> <p>Page 59 - Strategic Policies - SP4 – “A Sustainable Approach to Providing New Homes” – Specific Policies - HOM1: Housing Allocations</p>
<p><i>Cyfeiriad(au) Map Cynigion y Cynllun Datblygu Lleol</i></p> <p>LDP Proposals Map reference(s)</p>	<p>Page 68, Chapter 10 - The Cluster Map and Spatial Framework Table . - see supplied maps</p>
<p><i>Os yw eich sylw yn perthyn i ddogfen ategol (e.e. y Gwerthusiad o Gynaliadwyedd), rhowch yr enw(au) a'r cyfeiriad(au) i mewn yma.</i></p> <p>If your representation relates to a supporting document' including the:</p> <p>Sustainability Appraisal), and/or</p> <p>Habitat Regulations Assessment</p> <p>insert the name of the document and section reference(s) and/or paragraph number here.</p>	<p>SAM - Site Assessment Table, page 35, see “In terms of the remainder, (Llanfihangle Ar Arth land), it is considered that there is sufficient and more suitable land available for development within the settlement to accommodate it’s housing need”).</p> <p>We believe we fit this criteria and are more suitable than other applications in Llanfihangle Ar Arth for Inclusion of The Carmarthenshire 2nd Deposit rLDP and Ammendment of Boundary for Housing Allocations, and New Site Allocation, e.g:-</p> <p>1) 2 Plots were sold in the 1990’s on which 2 houses sit. The remainder of the land is long undeveloped and is</p>

appropriately positioned in the village and adjacent to the village playing field and also near the Community Hall, and other village amenities. It is within the village boundary.

2) It has **Utility Services in situ**

2a) **Dŵr Cymru, mains water and foul water** pipelines running along the whole length of the frontage and up towards the playing field.

In 2020 “it was ready for connection” but in 2023 due to Phosphate policy changes they need proposed housing/tap numbers etc, to confirm capacity - for which we need outline planning.

2b) **Western Power** confirmed ready to connect in 2020. However there is an **11kV overhead power cable, conductor and a pole in situ in our land** but, following a very helpful site visit ,we need to first get outline planning for confirmation of capacity, as it depends on factors like load required per property etc, – for confirmation of connection requirements. See Western Power grid map and email clarification.

We are making enquiries with an architechure firm regarding sustainable mixed housing options to put forward for the Outline Planning Appliction if we are successful in our **request for Inclusion of The Carmarthenshire 2nd Deposit rLDP and Ammendment of Boundary for Housing Allocations, and New Site Allocation.**

	<p>3) High speed full fibre broadband – for home working is available in this postcode and mobile phone signal. See evidence.</p> <p>4) Leisure and Open Space Requirements for New Developments: Page 14, 4.3 - Offsite provision – developer contributions - 4.3.1 - re ...”or inappropriate to accommodate certain categories of open space”.</p> <p>See Seperate Supporting Statement re existing adjacent play field.</p> <p>5) Has Public Transport and school buses in the village.</p>
--	--

2. Cyn i chi esbonio eich sylwadau'n fanwl, byddai'n dda gwybod p'un a gredwch fod y Cynllun yn gadarn ai peidio, ac a yw'n bodloni'r gofynion gweithdrefnol.

I gael rhagor o wybodaeth am gadernid a gofynion gweithdrefnol, gweler y nodiadau cyfarwyddyd.

2. Before you set out your comments in detail, it would be helpful to know whether you think the Plan is sound and meets the procedural requirements.

For more information on soundness and procedural requirements, see the guidance notes.

<p><i>Rwyf o'r farn bod y CDLI yn gadarn ac yn bodloni gofynion gweithdrefnol.</i></p> <p>I think the LDP is sound and meets procedural requirements.</p>	<input checked="" type="checkbox"/>
<p><i>Rwyf o'r farn nad yw'r CDLI yn gadarn ac y dylid ei newid.</i></p> <p>I think the LDP is unsound and should be changed.</p>	
<p><i>Rwy'n credu na chafodd y gofynion gweithdrefnol eu bodloni.</i></p> <p>I think that the procedural requirements have not been met.</p>	

3. A hoffech i'r Cynllun gynnwys polisi, dyraniad safle neu paragraff newydd?

Ticiwch bob un sy'n berthnasol.

3. Would you like the LDP to include a new policy, site allocation or paragraph?

Tick all that apply.

Dyraniad safle newydd
New site allocation

✓
New Site Allocation

AND

✓
Inclusion of The Carmarthenshire 2nd Deposit rLDP and Ammendment of Boundary for Housing

Polisi newydd
New policy

Paragraff neu destun ategol newydd
New paragraph or supporting text

4. Os ydych am ychwanegu dyraniad safle newydd, a wnaethoch gyflwyno'r safle yn flaenrol fel safle cais? Os felly, a fydddech cystal â rhoi enw a chyfeiriad y safle cais (os yw'n hysbys).

4. If you want to add a new site allocation, have you previously submitted the site as a Candidate Site? If so, please give the Candidate Site name and reference (if known).

Enw'r safle
Site name

AS/088/007

Cyfeiriad y cais
Site reference

Representation Number 4498

Os ydych am awgrymu safle newydd, dylech atodi cynllun o'r safle yn nodi ffiniau'r safle rydych am eu cynnwys yn y Cynllun a rhoi manylion am ei ddefnydd arfaethedig. Dylech ystyried a oes angen i'r ffurflen sylwadau hon gael ei hategu gan arfarniad o gynaliadwyedd. Lle bo gan newidiadau arfaethedig i Gynllun Datblygu effeithiau cynaliadwyedd sylweddol, bydd angen i chi ddarparu'r wybodaeth berthnasol ar gyfer arfarnu cynaliadwyedd. Mae'n rhaid i'r wybodaeth hon fod yn gyson â chwmpas a lefel manylder yr arfarniad o gynaliadwyedd a gynhaliwyd gan yr

Awdurdod. Dylai hefyd gyfeirio at yr un wybodaeth waelodlin wrth amlygu effeithiau sylweddol tebygol y polisi arfaethedig neu safle newydd.

If you want to suggest a new site, please attach a site plan identifying the boundaries of the site you wish to be included in the Plan and provide details of its proposed use. You should consider whether it is necessary for this comments form to be accompanied by a sustainability appraisal. Where proposed changes to a development plan have significant sustainability effects, you will need to provide the relevant sustainability appraisal information. This information must be consistent with the scope and level of detail of the sustainability appraisal conducted by the Authority. It should also refer to the same baseline information in identifying the likely significant effects of the revised policy or new site.

5. Rhestrwch eich sylwadau isod.

Dylech gynnwys yr holl wybodaeth, tystiolaeth a gwybodaeth ategol sydd eu hangen i gefnogi/cyfiawnhau eich sylw. Nodwch pa brawf/proffion cadernid mae'r Cynllun Datblygu Lleol yn eu bodloni neu nad yw'n eu bodloni a pham (gweler y nodiadau cyfarwyddyd i gael rhagor o wybodaeth). Bydd hyn yn helpu'r Awdurdod a'r Arolygydd i ddeall y materion y byddwch yn eu codi. Dim ond os bydd yr Arolygydd yn eich gwahodd i fynd i'r afael â materion y bydd yn eu codi y byddwch yn gallu cyflwyno rhagor o wybodaeth i'r archwiliad. Sylwer na fydd yr Arolygydd wedi gallu gweld unrhyw sylwadau y gallech fod wedi'u gwneud mewn ymateb i ymgynghoriadau blaenorol.

5. Please set out your comments below.

Include all the information, evidence and supporting information necessary to support / justify your representation. Please indicate which soundness test(s) the LDP meets or does not meet, and why (see guidance notes for more information). This will help the Authority and the Inspector to understand the issues you raise. You will only be able to submit further information to the examination if the Inspector invites you to address matters that he or she may raise. Please note that the Inspector will not have access to comments you may have made in response to previous consultations.

Please also see my **Supporting Statement**, Integrated Sustainability Assessment Form, Evidence, Maps, etc, supplied as attachments via e-mails and enclosures via hand delivered hard copy – list as follows:-

- 1) This Representation
- 2) ISA Assessment
- 3) Supporting Statement
- 4) Site Maps x 2 - Representation No:- 4498, Site No:- **AS/088/007**
- 5) Dŵr Cymru - 1 x Information request e-mail - 1 x Water Mains Map, 1 x Public Sewerage System Map,

- 6) Western Power - E-mail re Potential Connection & Confirmation – 1 x Grid map
- 7) Broadband Superfast Full Fibre already In Llanfihangel Ar Arth, SA39 9HU
- 8) Flooding Maps x 2,
- 9) Highway Issues - Collision Maps x 2
- 10) Bus Routes – Maps and Times Supplied for Public Use, the School Buses and Connections - no time table supplied.
- 11) Welsh Language – Graphs x 2
- 12) Teir 3, Cluster 4 Table and Cluster Map
- 13) Constraints Map
- 14) Green Spaces, Play Areas within reasonable distances x 4 maps
- 15) Agricultural Land Quality Map x 2

Ticiwch yma os ydych chi'n cyflwyno deunydd ychwanegol i gefnogi eich sylw.

Tick here if you are submitting additional material to support your representation.



Listed as above

6. Os ydych yn gwrthwynebu'r Cynllun Datblygu Lleol, ydych am siarad mewn sesiwn gwrandawriad yr Archwiliad cyhoeddus?

Ar y cam hwn, gallwch wneud sylwadau'n ysgrifenedig yn unig (gelwir y rhain yn 'sylwadau ysgrifenedig'). Fodd bynnag, gall pawb sydd am newid y Cynllun ymddangos gerbron yr Arolygydd a siarad mewn 'sesiwn gwrandawriad' yn ystod yr Archwiliad cyhoeddus. Ond dylech gofio y bydd yr Arolygydd yn rhoi'r un pwys ar eich sylwadau ysgrifenedig ar y ffurflen hon â'r rheiny a wneir ar lafar mewn sesiwn gwrandawriad. Sylwer hefyd y bydd yr Arolygydd yn pennu'r weithdrefn fwyaf priodol ar gyfer darparu ar gyfer y rhain sydd eisiau rhoi tystiolaeth lafar.

6. If you are objecting to the LDP, do you want to speak at a hearing session of the public examination?

At this stage, you can only make comments in writing (these are called 'written representations'). However, everyone that wants to change the Plan can appear before and speak to the Inspector at a 'hearing session' during the public examination. But you should bear in mind that your written comments on this form will be given the same weight by the Inspector as those made verbally at a hearing session. Please also note that the Inspector will determine the most appropriate procedure for accommodating those who want to provide oral evidence.

Nid wyf am siarad mewn sesiwn gwrandawriad ac rwyf yn fodlon i'm sylwadau ysgrifenedig gael eu hystyried gan yr Arolygydd.

<p>I do not want to speak at a public hearing and am happy for my written representations to be considered by the Inspector.</p>	<p style="text-align: center;">✓</p>
<p><i>Rwyf am siarad mewn sesiwn gwrandawriad.</i> I want to speak at a public hearing.</p>	
<p><i>Os ydych chi eisiau cyfranogi mewn gwrandawriad, nodwch isod am beth rydych chi eisiau siarad (e.e. 'Safle Tai ym Mhen y Graig' neu 'Y targed tai cyffredinol').</i> If you want to participate in a hearing, indicate below what you want to speak about (e.g. 'Housing site at Pen y Graig' or 'The overall housing target').</p>	
<p>7. Os ydych am siarad, byddai'n ddefnyddiol pe gallech nodi ym mha iaith yr hoffech gael eich clywed. 7. If you wish to speak, it would be helpful if you could indicate in which language you would like to be heard.</p>	
<p><i>Rwy'n dymuno cael fy nghlywed yn Gymraeg.</i> I wish to be heard in Welsh.</p>	
<p><i>Rwy'n dymuno cael fy nghlywed yn Saesneg.</i> I wish to be heard in English.</p>	

Nodiadau cyfarwyddyd

Guidance notes

*Caiff Cynllun Datblygu Lleol Sir Gaerfyrddin ei archwilio gan Arolygydd annibynnol a benodir gan Lywodraeth Cymru. Gwaith yr Arolygydd yw ystyried a yw'r Cynllun yn bodloni **gofynion gweithdrefnol** ac a yw'n **gadarn**.*

'Gellir ystyried 'Cadarn' yn y cyd-destun hwn o fewn ei ystyr arferol o 'dangos barnu da' a 'gellir ymddiried ynddo'. Y cwestiynau neu'r 'profion' y bydd yr Arolygydd yn eu hystyried wrth benderfynu a yw'r Cynllun yn gadarn yw:

- 1. Ydy'r cynllun yn ffitio? (h.y. a yw'n gyson â chynlluniau eraill?)*
- 2. Ydy'r cynllun yn briodol? (h.y. a yw'n briodol ar gyfer yr ardal yng ngoleuni'r dystiolaeth?)*
- 3. A fydd y cynllun yn cyflawni? h.y. a yw'n debygol o fod yn effeithiol?)*

Darperir rhagor o wybodaeth am y profion cadernid a gofynion gweithdrefnol yn Arweiniad Gweithdrefnol ar Archwiliadau Cynllun Datblygu Lleol yr Arolygiaeth Gynllunio.

Os ydych yn gwrthwynebu, dylech ddweud pam rydych yn credu bod y Cynllun yn ansad a sut y dylid newid y Cynllun er mwyn ei wneud yn gadarn.

Lle cynigiwch newid i'r Cynllun, byddai o gymorth esbonio pa brawf/brofion cadernid y credwch y mae'r Cynllun yn eu methu. Os yw eich sylw yn perthyn i'r ffordd gafodd y Cynllun ei baratoi neu'r ffordd yr ymgynghorwyd arno, mae'n debygol y bydd eich sylwadau yn perthyn i 'ofynion gweithdrefnol'.

Fydd methu adnabod prawf ddim yn golygu na chaiff eich sylwadau eu hystyried, cyhyd â'i fod yn perthyn i'r

The Carmarthenshire Revised Local Development Plan (LDP) will be examined by an independent Inspector appointed by the Welsh Government. It is the Inspector's job to consider whether the Plan meets procedural requirements and whether it is sound.

'Sound' may be considered in this context within its ordinary meaning of 'showing good judgement' and 'able to be trusted'. The questions or 'tests' which the Inspector will consider in deciding whether the Plan is sound are:

1. Does the plan fit? (i.e. is it consistent with other plans?)
2. Is the plan appropriate? (i.e. is it appropriate for the area in the light of the evidence?)
3. Will the plan deliver? (i.e. is it likely to be effective?)

More information on the soundness tests and procedural requirements is provided in the Planning Inspectorate's LDP Examinations Procedural Guidance.

If you are making an objection, you should say why you think the Plan is unsound and how the Plan should be changed to make it sound.

Where you propose a change to the Plan it would be helpful to make clear which test(s) of soundness you believe the Plan fails. If your comment relates to the way in which the Plan has been prepared or consulted on, it is likely that your comments will relate to 'procedural requirements'.

Failing to identify a test will not mean that your comments will not be considered, providing it relates to the Plan or its supporting documents. You

Newidiadau Canolbwyntiedig. Dylech gynnwys eich holl sylwadau ar y ffurflen, gan ddefnyddio dogfennau ychwanegol a thystiolaeth ategol lle bod angen.

Os ydych yn ceisio am fwy nag un newid i'r Cynllun, nid yw bob tro yn angenrheidiol i lenwi ffurflenni ar wahân ar gyfer pob darn o'ch sylw. Fodd bynnag, gallai fod yn ddefnyddiol o bosibl i ddefnyddio dwy ffurflen ar wahân os ydych yn dymuno siarad mewn gwrandawriad am rai gwrthwynebiadau ond nid rhai eraill.

Pan fydd grŵp yn rhannu barn gyffredin ar sut mae'n dymuno i'r Cynllun gael ei newid, byddai'n ddefnyddiol i'r grŵp hwnnw anfon ffurflen unigol gyda'u sylwadau, yn hytrach na bod nifer fawr o unigolion yn anfon ffurflenni ar wahân yn ailadrodd yr un pwynt. Mewn achosion o'r fath, dylai'r grŵp nodi faint o bobl mae'n eu cynrychioli a sut gafodd y sylw ei awdurdodi. Dylid nodi cynrychiolydd y grŵp (neu'r prif ddeisebydd) yn glir.

should include all your comments on the form, using accompanying documents and supporting evidence where necessary.

If you seek more than one change to the Plan, it is not always necessary to complete separate forms for each part of your representation. It may, however, be helpful to use two separate forms if you wish to speak at a hearing about some objections but not others.

Where a group shares a common view on how it wishes the Plan to be changed, it would be helpful for that group to send a single form with their comments, rather than for a large number of individuals to send in separate forms repeating the same point. In such cases the group should indicate how many people it is representing and how the representation has been authorised. The group's representative (or chief petitioner) should be clearly identified.